

7 Series ice and water dispenser

Chewblet® ice machine



Shown with optional base stand

NOTE: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Not recommended for use with softened water.



Features

Compact size, only 17.62" (44.8 cm) tall to fit on counters under standard cabinets

7 lb (3.2 kg) ice storage capacity

Integral air-cooled ice machine with up to 125 lb (56.7 kg) daily production of popular Chewblet ice

- designed to serve up to 50 people (201 servings per 9 hr day¹)
- soft, chewable, compressed nugget ice is preferred over cubes²
- environmentally responsible R134a refrigerant with zero ozone depletion potential
- energy saving sleep mode
- quiet production without noisy harvest cycles
- meets the Consortium for Energy Efficiency (CEE) Tier 2 specifications for highly efficient ice machines

Durable, attractive dispenser

- modern styling, stainless steel exterior with accent trim
- dispense-activated soft blue light illuminates point-of-use
- easy-to-clean, removable 20 oz (591 ml) drip tray

Designed with sanitation in mind

- Agion® silver-based antimicrobial product protection of key ice and water contact components³
- capacitive touch controls eliminate direct contact with ice

Installation

- comes fully assembled
- two easy connections – electric and water
- drainless design allows dispenser to be placed anywhere a water line can be run and eliminates the cost of a drain installation

Warranty

- 2 years parts and labor, 5 years compressor parts
- optional extended third year warranty (item# 00960732)

Accessories

Touchless SensorSAFE™ dispensing kit, user installed on new and existing models, refer to form# 8815 for additional details.

SafeCLEAN Plus™ ice machine cleaner, refer to form# 8295

4.00" (10.16 cm) leg kit for CI - countertop models (item# 00956300)

6.00" (15.24 cm) leg kit for base stand (item# 00956318)

Drip tray drain kit for countertop models (includes 4.00" (10.16 cm) legs) (item# 00981977)

Drip tray drain kit for countertop models used with base stand accessory (does not include 4.00" (10.16 cm) legs) (item# 00956375)

Filter cartridge, replacement 5 micron particle/carbon (item# 00968107)

For additional water treatment and other accessories, refer to form# 4025

| Model configurations | | | |
|--|--------------------------|---------------------|----------------------------|
| Ice storage capacity | Configuration | Filter ¹ | Item number |
| 7 lb (3.2 kg) | countertop ice and water | no filter | 7CI100A-IW-NF-ST-00 |
| | | internal | 7CI100A-IW-CF-ST-00 |
| | countertop ice-only | no filter | 7CI100A-NW-NF-ST-00 |
| | | internal | 7CI100A-NW-CF-ST-00 |
| For freestanding models | | | |
| Optional base stand to convert countertop models to freestanding | | | 00956292 |

¹ Internal filter is a 5 micron particle and carbon filter.


Specification

| | |
|--|--|
| Ice storage capacity | 7 lb (3.2 kg) |
| W1 Width | 14.62" (37.1 cm) |
| D1 Depth | 22.12" (56.2 cm) |
| H1 Height, countertop models | 17.62" (44.8 cm) |
| H2 Height, with optional base stand | 42.00" (106.7 cm) |
| H3 Height, optional base stand | 24.50" (62.2 cm) |
| H4 Dispense height clearance | 8.50" (21.59 cm) |
| Ventilation clearance | 3.00" (7.62 cm) on each side |
| Service clearance | 3.00" (7.62 cm) behind and on each side |
| C1 115 V/60/1 electrical | 5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse or breaker. 8' (2.4 m) cord w/ NEMA 5-15 90° plug. |
| C2 Water inlet | 1/4" push-in |
| Air temperature | 50 - 100 F (10 - 38 C) |
| Water temperature | 40 - 90 F (4 - 32 C) |
| Water pressure | 10 - 70 psi (69 - 482 kpa) |
| Ice production at 70 F (21 C) air and 50 F (10 C) water | 125 lb (56.7 kg) |
| Ice production at 90 F (32 C) air and 70 F (21 C) water | 100 lb (45.4 kg) |
| Energy consumption 90 F (32 C) air and 70 F (21 C) water | 6.9 kWh per 100 lb (45.4 kg) ice |
| Heat rejection | 1700 BTU/hr |
| Water consumption | 12 gal (45.4 L) of potable water per 100 lb (45.4 kg) of ice |
| Approximate net weight – countertop models | 74 lb (34 kg) |
| Approximate shipping weight – countertop models | 87 lb (40 kg) |
| Approximate net weight – optional base stand | 24 lb (11 kg) |
| Approximate shipping weight – optional base stand | 42 lb (19 kg) |

NOTE: Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

SHORT FORM SPECIFICATION: (Choose one) ___ Ice and water or ___ ice-only dispenser to be Follett automatic load in countertop configuration, with 7 lb (3.2 kg) of storage. Environmentally responsible R134a ice machine to be air-cooled. Ice machine to produce approximately 125 lb (56.7 kg) of Chewblet compressed nugget ice at air temperature of 70 F (21 C) and water temperature of 50 F (10 C). Ice machine to be equipped with printed circuit board and diagnostics to allow simplified servicing and with capacitive touch user interface. Storage area to be insulated with CARB compliant non-HFC foam. 8' (2.4 m) cord and NEMA 5-15 90° plug provided. 115 V/60/1. NSF and ETL listed. For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Dimensional drawing



¹ 4 oz (118 ml) of ice per cup in a 12 oz (355 ml) cup.

² Independent third party studies. Contact Follett for details.

³ Disclaimer: Antimicrobial protection is limited to the treated components and does not treat water or ice.

Agion is a registered trademark of Sciesent LLC.

SAFECLEAN PLUS and SENSORSAFE are trademarks of Follett Products, LLC.

CHEWBLET and FOLLETT are registered trademarks of Follett Products, LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation.

Certifications may vary depending on country of origin.